

## Modeling And Multiobjective Risk Decision Tools for Ecosystem Management

Benjamin F. Hobbs<sup>1</sup>
Richard Anderson<sup>2</sup>
Jong Bum Kim<sup>1</sup>
Joseph F. Koonce<sup>3</sup>

- 1. Dept. of Geography & Environmental Engineering, The Johns Hopkins University
  - 2. National Oceanic & Atmospheric Administration
- 3. Dept. of Biology, Case Western Reserve University

### **Goal of Presentation**

◆ Demonstrate how ecosystem-based fisheries management can be joined with ecological risk analysis under multiple management objectives



### **Goal of Presentation**

- Demonstrate how ecosystem-based fisheries management can be joined with ecological risk analysis under multiple management objectives
- Introduce tools:
  - Ecosystem model
  - Multiobjective tradeoff analysis
  - Bayesian evaluation of ecological research



## I. Unresolved Problems in Lake Erie

- ◆ Major decline of fisheries in 1990s
- **◆** Unknown effects of exotic species
  - Zebra Mussel invasion since 1988
  - Round Goby increase in 1990s
  - Expected invasion of Ruffe




## I. Unresolved Problems in Lake Erie

- ◆ Major decline of fisheries in 1990s
- Unknown effects of exotic species
  - Zebra Mussel invasion since 1988
  - Round Goby increase in 1990s
  - Expected invasion of Ruffe
- Declining productivity caused by decrease in P loading
- Uncertain role of habitat



## Historical Variation in Fish Harvest and Environment in Lake Erie


#### **Harvest Trends**






## Historical Variation in Fish Harvest and Environment in Lake Erie


#### **Harvest Trends**




### Phosphorus Loading
























# The Need for Multispecies Management: Effects of Species Interactions on Max Sustained Yield

 Optimal exploitation of predator varies with fishing rates of prey species



# The Need for Multispecies Management: Effects of Species Interactions on Max Sustained Yield


 Optimal exploitation of predator varies with fishing rates of prey species






# Interaction of Walleye Harvest & Phosphorus Loading





# Interaction of Walleye Harvest & Phosphorus Loading



Walleye abundance/harvest has a greater influence on total fish biomass than P loading

## **Implications of LEEM Studies**

◆ Fisheries and P Loading Jointly Determine Optimal Exploitation of Species



## Implications of LEEM Studies

- Fisheries and P Loading Jointly Determine Optimal Exploitation of Species
- ◆ Derivation of Quotas for Single Species without Considering Interactions Can Lead to Overexploitation
  - Prey and predators cannot be managed independently



- ◆ Information has value only if it can change decisions and improve outcomes
  - "Value" is multidimensional!



- Information has value only if it can change decisions and improve outcomes
  - "Value" is multidimensional!
- Necessary elements:
  - 1. Management context: Alternatives, objectives, decision rule



- Information has value only if it can change decisions and improve outcomes
  - "Value" is multidimensional!
- Necessary elements:
  - 1. Management context: Alternatives, objectives, decision rule
  - 2. What we know now: "States of nature" (hypotheses, parameter distributions), and confidence in each ("prior probabilities")



- Information has value only if it can change decisions and improve outcomes
  - "Value" is multidimensional!
- Necessary elements:
  - 1. Management context: Alternatives, objectives, decision rule
  - 2. What we know now: "States of nature" (hypotheses, parameter distributions), and confidence in each ("prior probabilities")
  - 3. Research: Information options (monitoring, modeling, experiments), and what might be learned



- Information has value only if it can change decisions and improve outcomes
  - "Value" is multidimensional!
- Necessary elements:
  - 1. Management context: Alternatives, objectives, decision rule
  - 2. What we know now: "States of nature" (hypotheses, parameter distributions), and confidence in each ("prior probabilities")
  - 3. Research: Information options (monitoring, modeling, experiments), and what might be learned
  - 4. System response: LEEM, expert judgment



- Information has value only if it can change decisions and improve outcomes
  - "Value" is multidimensional!
- Necessary elements:
  - 1. Management context: Alternatives, objectives, decision rule
  - 2. What we know now: "States of nature" (hypotheses, parameter distributions), and confidence in each ("prior probabilities")
  - 3. Research: Information options (monitoring, modeling, experiments), and what might be learned
  - 4. System response: LEEM, expert judgment
  - 5. Integrating framework: A way of determining how information affects our knowledge and choices: Decision trees, Bayes' rule

#### **Two decision stages**

- Research project; e<sub>h</sub>
- P loading and fisheries management;  $\underline{a}_s = \{a_{s1,} a_{s2,} a_{s3,} a_{s4}\}$



#### Two decision stages

#### **Uncertainties** ?

- Research project; e<sub>h</sub>
   Lower trophic level;
- P loading and fisheriesOther uncertainties;

-management;  $\underline{a}_{s} = \{a_{s1}, a_{s2}, a_{s3}, a_{s4}\}$ 



#### Two decision stages

- Research project; e<sub>h</sub>
   Lower trophic level;
- P loading and fisheries management;  $\underline{a}_{s} = \{a_{s1}, a_{s2}, a_{s3}, a_{s4}\}$

#### **Uncertainties** ?

- Other uncertainties;

#### **Outcomes**

– 10 Attributes X, combined using additive utility function U(X)



#### Two decision stages


- Research project; e<sub>h</sub>
- P loading and fisheries management;  $\underline{a}_s = \{a_{s1}, a_{s2}, a_{s3}, a_{s4}\}$

#### **Uncertainties** ?

- Lower trophic level;
- Other uncertainties;

#### **Outcomes**

10 Attributes <u>X</u>, combined using additive utility function U(<u>X</u>)



## **Management Levers**

- **♦** Phosphorus Loads:
  - 5K, 10K (as is), and 15K ton/yr



### **Management Levers**

- Phosphorus Loads:
  - 5K, 10K (as is), and 15K ton/yr
- Exploitation effort: A measure of the number of boats or the time they spend fishing
  - Exploitation: Trawl, Gill Nets, and Sport Harvest
  - Base = historical exploitation level
  - Vary exploitation by ± 50%



### **Present State of Knowledge**

- Prior probabilities
  - Uncertainties in LEEM parameters



### **Present State of Knowledge**

- Prior probabilities
  - Uncertainties in LEEM parameters
  - Hypotheses presented at 1999 IAGLR Modeling Summit and Lake Erie Millenium Conference
    - Changes in structure of lower trophic level

(e.g., Zoobenthos production efficiency)

 The role of zebra mussels in Lake Erie energy and nutrient flows

(e.g., Zebra mussel recycling nutrients;
Primary productivity as function of P loading)



### **Present State of Knowledge**

- Prior probabilities
  - Uncertainties in LEEM parameters
  - Hypotheses presented at 1999 IAGLR Modeling Summit and Lake Erie Millenium Conference
    - Changes in structure of lower trophic level

(e.g., Zoobenthos production efficiency)

 The role of zebra mussels in Lake Erie energy and nutrient flows

(e.g., Zebra mussel recycling nutrients;
Primary productivity as function of P loading)

◆ Disregarding uncertainties may result in inappropriate, nonrobust decisions



## **Options for Gathering Information**

- **♦** Characteristics of research
  - Cost & time
  - Reliability of outcomes




## **Options for Gathering Information**

- Characteristics of research
  - Cost & time
  - Reliability of outcomes
- Estimating the value of research


  - New knowledge may influence management decisions
  - Calculate value by simulating decisions with and without new information

# Multiple Objective Framework for Risk Analysis





## Multiple Objective Framework for Risk Analysis



## **Bayesian Analysis Results**

- Priorities for objectives can affect decisions
  - All participants prefer High trawling; most High sport harvest
  - Split on Gill net effort



## **Bayesian Analysis Results**

- Priorities for objectives can affect decisions
  - All participants prefer High trawling; most High sport harvest
  - Split on Gill net effort
- Ignoring uncertainty can change decisions
  - True for 2 of 6 participants
  - Uncertainty about Zoobenthos productivity effects of zebra mussels most important (perfect information changes decisions)
  - Uncertainties about Zooplankton productivity and Zebra mussel recycling also important



## **Bayesian Analysis Results**

- Priorities for objectives can affect decisions
  - All participants prefer High trawling; most High sport harvest
  - Split on Gill net effort
- Ignoring uncertainty can change decisions
  - True for 2 of 6 participants
  - Uncertainty about Zoobenthos productivity effects of zebra mussels most important (perfect information changes decisions)
  - Uncertainties about Zooplankton productivity and Zebra mussel recycling also important
- ◆ The value of research stems (in part) from its effect on decisions. Research has value for 5 of 6 participants
  - Two projects most valuable:
    - **⇒** Goby predation on mussels
    - Lakewide estimates of productivity
  - Worth: 10<sup>1</sup> 10<sup>4</sup> tons/yr equivalent of Walleye sport harvest

## **Summary**

 Heuristic application of LEEM can lead to multi-fishery rules that recognize uncertainties (P, invasions, habitat)



## **Summary**

- Heuristic application of LEEM can lead to multi-fishery rules that recognize uncertainties (P, invasions, habitat)
- "Ecosystem Health" can be operationalized

E.g., Lake Erie stakeholders compared alternative futures using fuzzy cognitive maps and multiobjective analysis. Value judgments combined diverse "health" attributes, such as productivity, aesthetics, & community structure.



## **Summary**

- Heuristic application of LEEM can lead to multi-fishery rules that recognize uncertainties (P, invasions, habitat)
- "Ecosystem Health" can be operationalized

E.g., Lake Erie stakeholders compared alternative futures using fuzzy cognitive maps and multiobjective analysis. Value judgments combined diverse "health" attributes, such as productivity, aesthetics, & community structure.

 Multiobjective Bayesian analysis can include ecological uncertainties in management, and quantify the value of research

E.g., fish managers made value and probability judgments for a risk analysis, & showed that intensive monitoring of lower trophic level productivity could improve fisheries management

## Take Home Message:

- ◆ Methods to model the decision-making process itself (multiobjective tradeoff analysis, decision trees, Bayesian risk analysis) provide an important complement to science intended to develop indicators of ecosystem health
- Could be applied to MAIA or any region to support ecosystem management



## **Acknowledgments**

- ◆ Research support provided by the International Joint Commission and US Environmental Protection Agency (STAR R82-5150)
- ◆ US and Canadian environmental & natural resources managers and stakeholders for participating in modeling workshops and providing data and guidance in model development

